

Miami-Dade County Clerk of the Court and Comptroller Technical Services Division

CIVIL PUBLIC ACCESS FOLDER DESCRIPTION



The Clerk of the Courts provides daily files containing all civil (Circuit and County Civil) case information processed by the court the previous day. These files can be downloaded by the interested parties from the County's site.

A ZIP file (daily_civil_*mmddyyyy.*zip) will be posted on the County's ftp site containing the main case information for the current day and the lookup tables associated to user codes (case events, case types, judges, party types, etc):

The naming convention will be: 'daily civil "+<date of extraction>+.zip.

Other weekly and monthly files are described below.

Civil extracts are in the form of ASCII text files in which records are delimited by a caret (^) and have a variable length. The file extension ".exp" stands for export file. The extract files contain the following record structure:



Table of Contents

Daily Files	3
Case File Structure (File Definition)	
Party File Structure (File Definition)	4
Docket File Structure (File Definition)	
Docket Text File Structure (File Definition)	6
Case Types Lookup Table File Structure (File Definition)	6
Event Types Lookup Table File Structure (File Definition)	7
Judge Section Lookup Table File Structure (File Definition)	7
Party Types Lookup Table File Structure (File Definition)	8
New Case File Structure (File Definition)	9
Daily Eviction Cases (File Definition)	10
Weekly Files	11
Contract & Indebtedness File Structure (File Definition)	11
Monthly Files	9
Custom Verdict File Structure (File Definition)	9
Landlord and Tenant by Address File Structure (File Definition)	
Landlord and Tenant By Party File Structure (File Definition)	10
Verdict File Structure (File Definition)	11
Quarterly Files	16
Eviction Cases with Attorneys (File Definition)	16



DAILY FILES

Case File Structure (File Definition)

File Name: Cases.exp Run Frequency: Daily

Description: Contains civil case information for cases changed

the previous day. This includes new cases and any

changes to cases. For historical information

retention, all case information must be overlapped by the new file where the "case id" or "case number" matches the old one. In other words, a full refresh of

the case must be performed by the customer.

Sample File: Cases.xls

Field Description	Field Type	Description
Case ID	NUMBER(11)	Unique key of the case
		(ie.1654210)
Case Number	CHAR(30)	Local case number
		(ie.2007-025360-CA-01)
Filing Date	DATE(10)	Filing date of the case
Style	CHAR(300)	Style of the case
		(ie Ramos Raul vs. Hugh
Case Type Code	CHAR(20)	Case type code
		(old action code in SIVA)
Judge Code	CHAR(20)	Judge code of the case
		(ie.00182)
Section Code	CHAR(20)	Family section of the case
		(ie.CA01)
State Case	CHAR(30)	State case number
Companion Case	CHAR(30)	Companion case
Disposition Date	DATE(10)	Date case was disposed



Party File Structure (File Definition)

File Name: Parties.exp Run Frequency: Daily

Description: Contains party information for cases changed the

previous day.

For historical information retention, all party information must be overlapped by the new file where the "case id" or "case number" matches the old one. In other words, a full refresh of the parties

must be performed by the customer.

Sample File: Parties.xls

Field	Field Type	Description
Party ID	NUMBER(11)	Unique key for a party in Odyssey
Case ID	NUMBER(11)	Foreign key to the case
Case Number	CHAR(30)	Local case number (ie.2007-025360-CA-01)
Party Name	CHAR(180)	Party name (LName, FName MName)
Party Type	CHAR(20)	Party type code (ie.PN=Petitioner DN=Defendant)
Bar Number	CHAR(20)	Attorney bar number
Attorney Name	CHAR(180)	Attorney name of the party (LName, FName, MName)
Disposition Code	CHAR(20)	Event code that triggered the disposition
Disposition Date	CHAR(10)	Date case was disposed
Address 1	CHAR (64)	Address line 1
Address 2	CHAR (64)	Address line 2
Address 3	CHAR (64)	Address line 3
Address 4	CHAR (64)	Address line 4
City	CHAR (64)	City
State	CHAR (2)	State abbreviation Page: 4



Field	Field Type	Description
Zip	CHAR (10)	Zip Code

Docket File Structure (File

Definition) File Name: Dockets.exp

Run Frequency: Daily

Description: Contains list of dockets for any case changed

the previous day.

For historical information retention, all docket information must be overlapped by the new file where the "case id" or "case number" matches the old one. In other words, a full refresh of the dockets

must be performed by the customer.

Sample File: **Dockets.xls**

Field	Field Type	Description
Event ID	NUMBER(11)	Unique key for a docket
Case ID	NUMBER(11)	Foreign key to the case
Case Number	CHAR(30)	Local case number
		(ie.2007-025360-CA-01)
Event Date	DATE(10)	Docket date
Docket Code	CHAR(20)	Docket code (ie.FJUD)
Description	CHAR(100)	Docket description
Book	CHAR(20)	Recording book number
Page	CHAR(30)	Recording page
Event Type	CHAR(1)	(E=Event, J=Judgment, H=Hearing, S=Service)



File Structure (File Definition)

File Name: Docktext.exp Run Frequency: Daily

Description: Contains list of events for any case changed the

previous day.

For historical information retention, all docket information must be overlapped by the new file where the "case id" or "case number" matches the old one. In other words, a full refresh of the dockets must be

performed by the customer.

Sample File: Docktext.xls

Field Description	Field Type	Comment
Event ID	NUMBER(11)	Unique key for a docket
Event Text		Docket text (ie. Docket, judgment, hearing, service information)

Case Types Lookup Table File Structure (File

Definition) File Name: CaseType.exp

Run Frequency: Daily

Description: Contains the definition of the case type code

Sample File: CaseType.xls

Field Description	Field Type	Description
Case Type ID	NUMBER(11)	Unique key for a case type in
		the system
Case Type Code	CHAR(20)	Case type user code
		(ie.DOM)
Description	CHAR(100)	Case type description
Creation Date	DATE(10)	Creation Date
Obsolete Date	DATE(10)	Obsolete Date Page: 6



Event Types Lookup Table File Structure (File Definition)

File Name: Events.exp Run Frequency: Daily

Description: Contains the definition of the docket/event code.

Information is sorted by Event Definition (E, H, J and S) and Event Type ID. Keep in mind that the "Event Type Code" could be the same among

different Event Definitions.

Sample File: **Events.xls**

Field Description	Field Type	Description
Event Type ID	NUMBER(11)	Unique key for an event type
		in the system
Event Type Code	CHAR(20)	Event type user code
		(ie.NOTI, FJUD)
Description	CHAR(100)	Event type description
Creation Date	DATE(10)	Creation Date
Obsolete Date	DATE(10)	Obsolete Date
Event Definition	CHAR(1)	(E=Event, J=Judgment,
	. ,	H=Hearing, S=Service)

Judge Section Lookup Table File Structure (File

Definition) File Name: Judges.exp

Run Frequency: Daily

Description: Contains the translation of the judicial section to

Judge's Name. Since the user code is unique for the entire record set (table), developers can match the judge and/or section assigned to a case based on the Judge Code or Section Code fields of the

Case table.

Sample File: <u>Judges.xls</u>



Field Description	Field Type	Description
Judge/Sec ID	NUMBER(11)	Unique key for a judge
		or section in the
Judge/Sec Code	CHAR(20)	Judge or Section user
		code (ie.DOM)
Judge/Sec Description	CHAR(100)	Judge or Section
Creation Date	DATE(10)	Creation Date
Obsolete Date	DATE(10)	Obsolete Date

Party Types Lookup Table File Structure (File

Definition) File Name: PartyType.exp

Run Frequency: Daily

Description: Contains the definition of the party types

Sample File: PartyType.xls

Field Description	Field Type	Description
Party Type ID	NUMBER(11)	Unique key for a party type
		in the system
Party Type Code	CHAR(20)	Party type code (ie. PN
		= Plaintiff, DN =
		Defendant, LT = the
		address of the property)
Party Type Description	CHAR(100)	Party type description
Creation Date	DATE(10)	Creation Date
Obsolete Date	DATE(10)	Obsolete Date



New Case File Structure (File Definition)

File Name: NewCaseCCYYMMDD.txt

Run Frequency: Daily

Description: All new cases created yesterday.

Sample File: NewCaseCCYYMMDD.xls

Field Description	Field Type	Description
Case Number	VARCHAR(30)	
File Date	DATE(10)	Format MM/DD/YYYY
Case Type	VARCHAR(100)	
Party Name	VARCHAR(300)	

Party Code	VARCHAR(20)	
Judicial Section	VARCHAR(20)	
Pretrial Hearing Date	DATE(10)	Format MM/DD/YYYY
Created Date	DATE(10)	Format MM/DD/YYYY



Daily Eviction Cases (File Definition)

File Name:

PRR16183_DailyEvictionCases_yyyymmdd.txt

Run Frequency: Daily

Description: Customized report containing eviction case information including name and address of the defendant and plaintiff (residential

and non-residential).

Sample File: PRR16183 DailyEvictionCases yyyymmdd.xls

Field Name	Data Type	Length	Description
File Date	DATE	10	Filing date of the case
			(Format mm/dd/yyyy)
Case Number	VARCHAR	30	Local case number
			(ie: 2021-012345-CA-01)
Case Type	VARCHAR	100	Case type description
Case Style	VARCHAR	5000	Style of the case (ie: Ramos Raul
			vs Hugh)
Case Status	VARCHAR	20	Case status
Party Type	CHARACTER	100	Party type description
First Name	VARCHAR	180	First name
Last Name	VARCHAR	180	Last Name
Address 1	VARCHAR	64	Address line 1
Address 2	VARCHAR	64	Address line 2
City	VARCHAR	64	City
State	CHARACTER	2	State
ZipCode	VARCHAR	10	Zip code



WEEKLY FILES

Contract & Indebtedness File Structure (File Definition)

File Name: lndebtedness_CCYYMMDD.txt

Run Frequency: Weekly

Description: Contains contract indebtedness cases updated

during the previous week.

Sample File: <u>IndebtednessCCYYMMDD.xls</u>

Field Description	Field Type	Description
Case Number	VARCHAR(30)	Local case number
		(ie.2007-025360-CA-01)
Case Type	VARCHAR(20)	Case type user code
		(ie.DOM)
Judge Section	VARCHAR(20)	
File Date	DATE	Format CCYY-MM-DD
Plaintiff Name	VARCHAR(300)	
Defendant Name	VARCHAR(300)	
Case Status	VARCHAR(20)	
Dispo Date	DATE	FORMAT CCYY-MM-DD
Dispo Code	VARCHAR(20)	
Dispo Description	TEXT	
New Sp Date	DATE	FORMAT CCYY-MM-DD
SPPT Date	DATE	FORMAT CCYY-MM-DD
SPPN Date	DATE	FORMAT CCYY-MM-DD
SVRT Code	VARCHAR(20)	



SVRT Date	DATE	FORMAT CCYY-MM-DD
SMRN Date	DATE	FORMAT CCYY-MM-DD
DFLT Date	DATE	FORMAT CCYY-MM-DD
DJUD Date	DATE	FORMAT CCYY-MM-DD
MDFT Date	DATE	FORMAT CCYY-MM-DD
MDDT Date	DATE	FORMAT CCYY-MM-DD
Answer Code	VARCHAR(20)	
Answer Date	DATE	FORMAT CCYY-MM-DD
MCAR Date	DATE	FORMAT CCYY-MM-DD
FWNG Date	DATE	FORMAT CCYY-MM-DD
FWND Date	DATE	FORMAT CCYY-MM-DD
NSCA Date	DATE	FORMAT CCYY-MM-DD
VOLD Date	DATE	FORMAT CCYY-MM-DD
FJUD Date	DATE	FORMAT CCYY-MM-DD
FJDF Date	DATE	FORMAT CCYY-MM-DD
Pn Atty Name	VARCHAR(300)	
Claim Amount	NUMBER	
Dn Street	VARCHAR(256)	
Dn City	VARCHAR(64)	
Dn State	CHAR(2)	
Dn Zip	VARCHAR(10)	
Next Hrg Date	DATE(10)	FORMAT CCYY-MM-DD



MONTHLY FILES

Custom Verdict File Structure (File Definition)

File Name: VerdictTReuters CCYYMM.txt

Run Frequency: Monthly Description: Custom File

Sample File: Verdict_TReuters_CCYYMM.xls

Field Description	Field Type	Description	
Case Number	VARCHAR(30)	Local case number	
		(ie.2007-025360-CA-01)	
Case Type Description	VARCHAR(100)		
Case Verdict	VARCHAR(20)		
Verdict Date	DATE	FORMAT CCYY-MM-DD	
Verdict Amount	NUMBER		
Plaintiff	VARCHAR(300)		
Plaintiff Attorney	VARCHAR(300)		
Defendant	VARCHAR(300)		
Defendant Attorney	VARCHAR(300)		
Action Code	VARCHAR(20)		
Judge Section Number	VARCHAR(20)		
Judge Name	VARCHAR(180)		
Closing Docket	VARCHAR(20)		
Closing Docket Date	DATE	FORMAT CCYY-MM-DD	



Landlord and Tenant by Address File Structure (File

Definition) File Name: <u>CivItntnCCYYMM.txt</u>

Run Frequency: Monthly

Description: Eviction cases closed for the previous month by

eviction address.

Sample File: CIVLTNTNCCYYMM.xls

Field Description	Field Type	Description
Case Number	VARCHAR(30)	Local case number
		(ie.2007-025360-C-01)
File Date	DATE(19)	Format CCYY-MM-DD
		00:00:00
Stat Closure Code	VARCHAR(20)	
Respondent	VARCHAR(300)	
Property Address	VARCHAR(257)	
Property City	VARCHAR(64)	City
Property State	CHAR(2)	State abbreviation
Property Zip	VARCHAR(10)	Zip Code
Petitioner	VARCHAR(300)	

Landlord and Tenant By Party File Structure (File Definition)

File Name: CivltCCYYMM.txt
Run Frequency: Monthly

Description: Eviction cases for the previous month.

Lists each party in the case.

Sample File: <u>CIVLTCCYYMM.xls</u>

Field Description	Field Type	Description
Case Number	VARCHAR(30)	Local case number
		(ie.2007-025360-CA-01)
Party Name	VARCHAR(300)	Party name (LName,
		FName MName)
Party Code	VARCHAR(20)	Party type code (ie.PN =



		Plaintiff, DN = Defendant,
		LT = (the address of the
		property)
Style	VARCHAR(5000	Style of the case
)	(ie. Ramos Raul vs. Hugh)
File Date	DATE(8)	Format CCYYMMDD
Party Disposition	DATE(8)	Format CCYYMMDD
Party Address Line 1	VARCHAR(64)	Address line 1
Party Address Line 2	VARCHAR(64)	Address line 2
Party Address Line 3	VARCHAR(129)	Address line 3
Party City	VARCHAR(64)	City
Party Street	CHAR(2)	State abbreviation
Party Zip	VARCHAR(10)	Zip Code

Verdict File Structure (File Definition)

File Name: Verdict_CCYYMM.txt

Run Frequency: Monthly

Description: Any civil court jury trials completed during the

previous month.

Sample File: VerdictCCYYMM.xls

Field Description	Field Type	Description
Case Number	VARCHAR(30)	Local case number
		(ie.2007-025360-CA-01)
Case Type Description	VARCHAR(100)	
Case Verdict	VARCHAR(20)	
Verdict Date	DATE	FORMAT CCYY-MM-DD
Verdict Amount	NUMBER	
Plaintiff	VARCHAR(300)	
Plaintiff Attorney	VARCHAR(300)	
Defendant	VARCHAR(300)	
Defendant Attorney	VARCHAR(300)	



Action Code	VARCHAR(20)	
Judge Section Number	VARCHAR(20)	
Judge Name	VARCHAR(180)	
Closing Docket	VARCHAR(20)	
Closing Docket Date	DATE	FORMAT CCYY-MM-DD

QUARTERLY FILES

Eviction Cases with Attorneys (File Definition)

File Name: PRR17008_EvictionCasesWAttQtly_yyyymmdd.txt

Run Frequency: Quarterly

Description: Customized report containing information on parties who were represented by attorneys in eviction cases (residential and non-

residential).

Sample File: PRR17008_EvictionCasesWAttQtly_yyyymmdd.xls

Field Name	Data Type	Length	Description
File Date	DATE	10	Filing date of the case
			(format: mm/dd/yyyy)
Case Number	VARCHAR	30	Local case number
			(ie: 2021-012345-CA-01)
Case Type	VARCHAR	100	Case type description
Case Style	VARCHAR	5000	Style of the case (ie: Ramos Raul
			vs Hugh)
Case Status	VARCHAR	20	Case status
Disposition Code	VARCHAR	20	Disposition Event Code
Disposition Date	DATE	10	Date case was disposed (format
			mm-dd-yyyy)
Code	CHARACTER	2	Party Code
Party Type	CHARACTER	100	Party type description
Bar Number		20	Attorney Bar Number
Attorney Name	VARCHAR	180	Attorney Name (ie: Last Name,
			First Name Middle Name)
First Name	VARCHAR	180	First name

Page: 16



Last Name	VARCHAR	180	Last Name
Address 1	VARCHAR	64	Party Address line 1
Address 2	VARCHAR	64	Party Address line 2
City	VARCHAR	64	Party City
State	CHARACTER	2	Party State
ZipCode	VARCHAR	10	Party Zip code
Property Address 1	VARCHAR	64	Property Address line 1
Property Address 2	VARCHAR	64	Property Address line 2
Property City	VARCHAR	64	Property City
Property State	CHARACTER	2	Property State
Property Zip Code	VARCHAR	10	Property Zip code

Page: 17